


---






## ORBIS CCT





---



	EAN	W	Lumen output	Lumen module	K	⊖ (°C)	V~	mA	Hz	DF	👤
<b>ORBIS 310MM 15W 827-865 CLICK-CCT</b>	4058075651739	15	1000	1700	2700/4000/6500	-20...+40	220-240	68	50/60	>0.7	0.54 g
<b>ORBIS 410MM 24W 827-865 CLICK-CCT</b>	4058075651753	24	1800	3000	2700/4000/6500	-20...+40	220-240	105	50/60	>0.7	0.86 g
<b>ORBIS 310MM 17W 827-865 REMOTE-CCT</b>	4058075651715	17	1000	1800	2700-6500	-20...+40	220-240	113	50/60	>0.7	0.55 g
<b>ORBIS 410MM 25W 827-865 REMOTE-CCT</b>	4058075651777	25	1800	3000	2700-6500	-20...+40	220-240	171	50/60	>0.7	0.87 g





	EAN	This product contains a light source of energy efficiency class	Contained Light Source
ORBIS 310 MM 15W 827-865 CLICK-CCT	4058075651739	E	
ORBIS 410 MM 24W 827-865 CLICK-CCT	4058075651753	E	
ORBIS 310 MM 17W 827-865 REMOTE-CCT	4058075651715	E	
ORBIS 410 MM 25W 827-865 REMOTE-CCT	4058075651777	E	



4058075651739  
4058075651753

C10449057  
G11132435  
16.11.2021



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)