

**GLITTER SPRAY - 089680-NFDT-EN**

**SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

**SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name : GLITTER SPRAY  
Product code : 089680-NFDT-EN.

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Ideal for use on handicrafts (e.g. cones, cardboard, etc.), Christmas decorations and flower arrangements. Only use the product as directed on the aerosol.

**1.3. Details of the supplier of the safety data sheet**

Registered company name :  
Address :  
Telephone : Fax :

**1.4. Emergency telephone number :**

Association/Organisation :  
Hours of operation : Monday - Thursday : 8:00-17:00; Friday : 8:00-13:00

**SECTION 2 : HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Aerosol, Category 3 (Aerosol 3, H229).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).  
This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

**2.2. Label elements**

Mixture for aerosol application.

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Signal Word :  
WARNING

Additional labeling :  
29% by mass of the contents are flammable.

Hazard statements :

H229 Pressurised container: May burst if heated.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention :

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

Precautionary statements - Storage :

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq$  0.1% published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Intentional misuse of the preparation by concentrating and inhaling the vapours can be harmful or fatal.

**GLITTER SPRAY - 089680-NFDT-EN**

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

**Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 90622_57_4 EC: 918-167-1 REACH: 01-2119472146-39  HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS	GHS08, GHS02 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 EUH:066		10 <= x % < 25
INDEX: 109_87_5 CAS: 109-87-5 EC: 203-714-2 REACH: 01-2119664781-31  METHYLAL	GHS02 Dgr Flam. Liq. 2, H225	[1]	0 <= x % < 2.5
INDEX: 601_004_00_0 CAS: 106-97-8 EC: 203-448-7 REACH: 01-2119474691-32  BUTANE (< 0,1 % 1,3-BUTADIENE)	GHS02 Dgr Flam. Gas 1, H220 Press. Gas, H280	C [1] [7]	0 <= x % < 2.5

**Information on ingredients :**

- [7] Propellant gas
- [1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures**

**In the event of exposure by inhalation :**

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

**In the event of splashes or contact with skin :**

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**In the event of swallowing :**

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

See section 11.

**4.3. Indication of any immediate medical attention and special treatment needed**

If you feel unwell, seek medical advice (show the label if possible). If symptoms persist, always call a doctor.

**SECTION 5 : FIREFIGHTING MEASURES**

**5.1. Extinguishing media**

If the aerosols are exposed to a fire : keep containers cool by spraying with water from a protected position.

**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

---

**GLITTER SPRAY - 089680-NFDT-EN**

---

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

In a fire or if heated, a pressure increase will occur and the container may burst. Bursting aerosol containers may be propelled from a fire at high speed. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**5.3. Advice for firefighters**

If possible, stop the product stream. Spray from a protected position till the containers are cool. If possible, take the aerosols outside. Keep public at a distance.

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

---

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

**Fire prevention :**

Handle in well-ventilated areas.

Do not pierce or burn, even after use.

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**Storage**

Keep out of reach of children.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Keep away from heat and sources of ignition. Storage in a dry, frost-free and well ventilated place.

**GLITTER SPRAY - 089680-NFDT-EN**

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Occupational exposure limits :**

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
109-87-5	1000 ppm 3160 mg/m <sup>3</sup>	1250 ppm 3950 mg/m <sup>3</sup>			
106-97-8	600 ppm 1450 mg/m <sup>3</sup>	750 ppm 1810 mg/m <sup>3</sup>		Carc	

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : AGW (DE) : 600 mg/m<sup>3</sup> (8 h)

- Ireland (Code of practice for the safety, Health and Welfare at Work, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
109-87-5	1000 ppm 3100 mg/m <sup>3</sup>	1250 ppm 3880 mg/m <sup>3</sup>			
106-97-8	1000 ppm			Asphx	

**Derived no effect level (DNEL) or derived minimum effect level (DMEL):**

METHYLAL (CAS: 109-87-5)

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Workers.**

Dermal contact.  
Long term systemic effects.  
17.9 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
126.6 mg of substance/m<sup>3</sup>

**Final use:**

Exposure method:  
Potential health effects:  
DNEL :

**Consumers.**

Ingestion.  
Long term systemic effects.  
9.6 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Dermal contact.  
Long term systemic effects.  
5.7 mg/kg body weight/day

Exposure method:  
Potential health effects:  
DNEL :

Inhalation.  
Long term systemic effects.  
39 mg of substance/m<sup>3</sup>

**Predicted no effect concentration (PNEC):**

METHYLAL (CAS: 109-87-5)

Environmental compartment:  
PNEC :

Soil.  
4.6538 mg/kg

Environmental compartment:  
PNEC :

Fresh water.  
14.577 mg/l

Environmental compartment:  
PNEC :

Sea water.  
1.4577 mg/l

Environmental compartment:

Fresh water sediment.

## GLITTER SPRAY - 089680-NFDT-EN

PNEC :	13.135 mg/kg
Environmental compartment: PNEC :	Marine sediment. 1.3135 mg/kg
Environmental compartment: PNEC :	Waste water treatment plant. 10000 mg/l

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.  
Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166. Do not spray in the direction of the eyes.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Not necessary at efficient use. Wash your hands after contact with skin.

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

Not necessary at efficient use. Wash skin that has been in contact with the product, with water and soap.

#### - Respiratory protection

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387  
: - A1 (Brown)

Do not breathe spray. Use only in well-ventilated areas.

#### Exposure controls linked to environmental protection

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### General information :

Physical state :	Fluid liquid. Spray.
Color :	Gold, silver and multi
Odour :	Specific

#### Important health, safety and environmental information

pH :	7.00 . Neutral.
Flash point interval :	Not relevant.

**GLITTER SPRAY - 089680-NFDT-EN**

Vapour pressure (50°C) :	Not relevant.
Density :	0.933
Water solubility :	Soluble.
Chemical combustion heat :	< 20 kJ/g.
Inflammation time :	> 300 s/m3.
Flash point :	Not applicable
Flammability :	Not applicable
Ignition distance :	No ignition
<b>9.2. Other information</b>	
Pressure at 20°C :	± 5.5 bar
Pressure at 50°C :	< 12 bar
Water content :	Water-based formulation

**SECTION 10 : STABILITY AND REACTIVITY**

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4. Conditions to avoid**

Avoid :

- heat
- flames and hot surfaces
- frost

Protect from sunlight and do not expose to temperatures exceeding 50°C. Keep away from heat and sources of ignition. Storage in a dry, frost-free and well ventilated place.

**10.5. Incompatible materials**

No materials known by which a dangerous reaction can occur.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

The product is stable. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11 : TOXICOLOGICAL INFORMATION**

**11.1. Information on toxicological effects**

Splashes in the eyes may cause irritation and reversible damage

**11.1.1. Substances**

**Acute toxicity :**

BUTANE (< 0,1 % 1,3-BUTADIENE) (CAS: 106-97-8)

Inhalation route (n/a) : LC50 > 10 mg/l

METHYLAL (CAS: 109-87-5)

Oral route : LD50 = 6423 mg/kg  
Species : Rat  
OECD Guideline 423 (Acute Oral toxicityAcute Toxic Class Method)

Dermal route : LD50 > 5000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS

**GLITTER SPRAY - 089680-NFDT-EN**

Oral route : LD50 > 5000 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 5000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (n/a) : LC50 > 4951 mg/m3  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)

**Skin corrosion/skin irritation :**

Methylal : Not irritating. Repeated or prolonged skin contact may cause dermatitis and defatting.  
Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Not classified as skin corrosive/irritant but marked with EUH066.  
HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS  
Corrosivity : No observed effect.  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious damage to eyes/eye irritation :**

Methylal : Not irritating.  
Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Not classified as damaging or irritant to eyes.  
HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS  
OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Respiratory or skin sensitisation :**

Methylal : Not sensitizing.  
Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Not classified as sensitizing.

**Germ cell mutagenicity :**

BUTANE (< 0,1 % 1,3-BUTADIENE) (CAS: 106-97-8)  
No mutagenic effect.

METHYLAL (CAS: 109-87-5)  
No mutagenic effect.

HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS  
No mutagenic effect.  
OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)  
OECD Guideline 471 (Bacterial Reverse Mutation Assay)

**Carcinogenicity :**

BUTANE (< 0,1 % 1,3-BUTADIENE) (CAS: 106-97-8)  
Carcinogenicity Test : Negative.  
No carcinogenic effect.

METHYLAL (CAS: 109-87-5)  
Carcinogenicity Test : Negative.  
No carcinogenic effect.

HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS  
Carcinogenicity Test : Negative.  
No carcinogenic effect.  
OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

**GLITTER SPRAY - 089680-NFDT-EN**

**Reproductive toxicant :**

BUTANE (< 0,1 % 1,3-BUTADIENE) (CAS: 106-97-8)  
No toxic effect for reproduction

METHYLAL (CAS: 109-87-5)  
No toxic effect for reproduction

HYDROCARBONS, C11-C12, ISOALKANES, < 2 %  
AROMATICS No toxic effect for reproduction

OECD Guideline 414 (Prenatal Developmental Toxicity Study)  
OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

**Specific target organ systemic toxicity - single exposure :**

Methylal : To human : Not classified for organ toxicity. For animals : No effects known.  
Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Not classified as toxic to a target organ.

**Specific target organ systemic toxicity - repeated exposure :**

Methylal : To human : Not classified for organ toxicity. For animals : No effects known.  
Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Not classified as toxic to a target organ.

**Aspiration hazard :**

Methylal : Not considered hazardous.

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : In case of swallowing or vomiting product can enter airways and can cause chemical pneumonitis and pulmonary oedema.

**11.1.2. Mixture**

No toxicological data available for the mixture.

**SECTION 12 : ECOLOGICAL INFORMATION**

**12.1. Toxicity**

**12.1.1. Substances**

METHYLAL (CAS: 109-87-5)

Fish toxicity :

LC50 > 1000 mg/l  
Species : Danio rerio  
Duration of exposure : 96 h  
OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity :

EC50 > 1000 mg/l  
Species : Daphnia magna  
Duration of exposure : 48 h  
OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS

Fish toxicity :

LC50 > 1000 mg/l  
Species : Oncorhynchus mykiss  
Duration of exposure : 96 h

Crustacean toxicity :

EC50 > 1000 mg/l  
Species : Daphnia magna  
Duration of exposure : 48 h

NOEC >= 1 mg/l  
Species : Daphnia magna  
Duration of exposure : 21 days

Algae toxicity :

ECr50 > 1000 mg/l  
Species : Pseudokirchnerella subcapitata  
Duration of exposure : 72 h

NOEC = 1000 mg/l



---

**GLITTER SPRAY - 089680-NFDT-EN**

---

Species : Pseudokirchnerella subcapitata  
Duration of exposure : 72 h

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability**

Butane/Isobutane/Propane : Expected to be readily biodegradable.

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Transformation due to hydrolysis and due to photolysis is not expected to be significant. Expected to degrade rapidly in air. Inherently biologically degradable.

**12.2.1. Substances**

BUTANE (< 0,1 % 1,3-BUTADIENE) (CAS: 106-97-8)

Biodegradability : Rapidly degradable.

METHYLAL (CAS: 109-87-5)

Biodegradability : no degradability data is available, the substance is considered as not degrading quickly.

HYDROCARBONS, C11-C12, ISOALKANES, < 2 % AROMATICS

Biodegradability : Rapidly degradable.

**12.3. Bioaccumulative potential**

Butane/Isobutane/Propane : Not expected to be dangerous for the aquatic environment.

Methylal : No data available.

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : Not determined.

**12.4. Mobility in soil**

Butane/Isobutane/Propane : If released into the environment, the product will rapidly disperse into the atmosphere where it will undergo photochemical degradation.

Methylal : No data available.

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : The product can evaporate relatively quickly. It is presumed that there is no distribution in the sediment layer and waste water substances.

**12.5. Results of PBT and vPvB assessment**

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics : PBT/vPvB : No.

Methylal : PBT/vPvB : No.

**12.6. Other adverse effects**

No data available.

---

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :**

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

**GLITTER SPRAY - 089680-NFDT-EN**

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2016).

**14.1. UN number**

1950

**14.2. UN proper shipping name**

UN1950=AEROSOLS, asphyxiant

**14.3. Transport hazard class(es)**

- Classification :

2.2

ADR/RID Label : Limited Quantity : 2.2 is not applicable.

**14.4. Packing group**

-

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5A	-	2.2	-	1 L	190 327 344 625	E0	3	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	2.2	See SP63	-	See SP277	F-D,S-U	63 190 277 327 344 959	E0			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	2.2	-	-	203	75 kg	203	150 kg	A98 A145 A167 A802	E0	
	2.2	-	-	Y203	30 kg G	-	-	A98 A145 A167 A802	E0	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15 : REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**- Classification and labelling information included in section 2:**

The following regulations have been used:

- Directive 75/324/CEE modified by directive 2013/10/UE
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

**- Container information:**

No data available.

**- Particular provisions :**

Labelling following EU Regulation No. 517/2014 :                      Contains fluorinated greenhouse gases : HFC-152a.

**15.2. Chemical safety assessment**

A chemical safety assessment has been carried out for the following products or for the substances in these products :

Methylal

Hydrocarbons, C11-C12, isoalkanes, < 2 % aromatics

---

**GLITTER SPRAY - 089680-NFDT-EN**

---

---

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.